

## SEQUENCE LISTING

Chao-Feng, Zheng <110>

<120> Compositions and Methods Utilizing Stable Reporter Cell Lines for Detection of Pathway-Specific Signal Transduction

```
<130> 25436/1510
```

<140> US 09/637,650

<141> 2000-08-11

<150> US 60/150,912

<151> 1999-08-26

<160> 10

<170> PatentIn version 3.1

<210> 1

<211> 6

<212> DNA

<213> Artificial sequence

sample sequence-specific DNA binding protein <220> <223>

<400> 1

ggatcc

6

<210> 2

<211> 6

<212> DNA

<213> Artificial sequence

<220>

sample sequence-specific DNA binding protein <223>

<220>

<221> misc\_feature

(3)..(3) <222>

<223> n at position 3 is A or G

<220>

<221> misc\_feature

(4)..(4) <222>

<223> n at position 4 is C or T

<400> ggnncc

6

<210> 3

<211> 38

<b>.</b>	
<212> DNA <213> Artificial sequence	
<220> <223> GAL4 DNA-binding domain recognition sequence	
<400> 3 gtcggagtac tgtcctccga gcggagtact gtcctccg	38
<210> 4 <211> 38 <212> DNA <213> Artificial sequence	
<220> <223> GAL4 DNA-binding domain recognition sequence	
<400> 4 agcggagtac tgtcctccga gcggagtact gtcctccg	38
<210> 5 <211> 37 <212> DNA <213> Artificial sequence	
<220> <223> GAL4 DNA-binding domain recognition sequence	
<400> 5 agcggagtac tgtcctccga gcggagactc tagaggg	37
<210> 6 <211> 35 <212> DNA <213> Artificial sequence	
<220> <223> GAL4 DNA-binding domain recognition sequence	
<400> 6 tatataatgg atccccgggt accgagctcg aattc	35
<210> 7 <211> 31 <212> DNA <213> Artificial sequence	
<220> <223> GAL4 DNA-binding domain recognition sequence	
<400> 7 cagcttggca ttccggtact gttggtaaat g	31

	•	
<210> <211> <212>	8 74 DNA	
<213>	Artificial sequence	
<220> <223>	multiple cloning site	
<400> gtatcg	cegg gateegeeeg ggetggaatt etagaagett etgeagaget eggeassaga	60
tcttga	aataa gtag	74
<210><211><211><212><213>	21	
<220> <223>		
<400>	9	
Val S	er Pro Gly Ser Gly Arg Ala Gly Ile Leu Glu Ala Ser Ala Glu 10 15	
Leu G	Thr Arg Ser 20	
<210><211><211><212><213>	DNA	
<220>	1 1 1 1in regearition sequence	
<400 cggag	> 10 gtactg tecteeg	17